Page 2 (Amendment and Reply to Office Action)

AMENDMENT

Please amend the above-identified application as follows:

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (currently amended): An acid bath for the electrodeposition bath of for depositing glossy gold and gold alloy layers, comprising containing gold and optionally one or more alloy elements in dissolved form and also at least one organic compound as a gloss additive selected from the group consisting of pyridine-3-sulfonic acid, nicotinic acid, nicotinic acid amide, 3-(3-pyridyl)-acrylic acid, 3-(4-imidazolyl)-acrylic acid, 3-pyridylhydroxymethanesulfonic acid, pyridine, picoline, quinolinesulfonic acid, 3-aminopyridine, 2,3-diaminopyridine, 2,3-di-(2-pyridyl)-pyrazine, 2-(pyridyl)-4-ethanesulfonic acid, 1-(3-sulfopropyl)-pyridinium betaine, 1-(3-sulfopropyl)-isoquinolinium betaine and salts or derivatives thereof, wherein characterised in that, the bath contains further comprises, as a further an additional gloss additive, which has at least one compound of the general formula

$$R - SO_m - H$$

(I)

in which

m is the number 3 or 4, and

R represents a straight-chain or branched or cyclic alkyl group with up to 20 carbon atoms, and, in the event that m = 4, also or an aryl or heteroaryl group with up to 10 carbon atoms, which may be optionally substituted once or several times with straight-chain or branched alkyl groups with 1 to 14 carbon atoms.

Claim 2 (currently amended): An electrodeposition bath according to Claim 1, eharacterised in that, it contains wherein as a further the additional gloss additive contains at least one compound of the general formula I in which R is a straight-

81

Page 3 (Amendment and Reply to Office Action)

chain or branched alkyl group with 5 to 12 carbon atoms, preferably a branched alkyl group with 6 to 10 carbon atoms.

Claim 3 (currently amended): An electrodeposition bath according to Claim 1, eharacterised in that, it contains wherein as a further the additional gloss additive, is selected from the group consisting of the compounds pentyl sulfonate, hexyl sulfonate, heptyl sulfonate, octyl sulfonate, nonyl sulfonate, decyl sulfonate, dodecyl sulfonate, cyclohexyl sulfonate, pentyl sulfate, hexyl sulfate, heptyl sulfate, octyl sulfate, nonyl sulfate, decyl sulfate, dodecyl sulfate, cyclohexyl sulfate or their isomers.

B1 Contol

Claim 4 (currently amended): An electrodeposition bath according to Claim 1, characterised in that, it contains wherein at least one compound of the general formula I is present in an amount of 0.01 to 10 g/l, preferably 0.1 to 5 g/l of a compound of the formula I.

Claim 5 (currently amended): Use of the A process for electrodeposition of glossy gold and gold alloy layers, which comprises depositing glossy gold and gold alloy layers using an electrodeposition bath containing gold and at least one gloss additive selected from the group consisting of pyridine-3-sulfonic acid, nicotinic acid amide, 3-(3-pyridyl)-acrylic acid, 3-(4-imidazolyl)-acrylic acid, 3-pyridylhydroxymethanesulfonic acid, pyridine, picoline, quinolinesulfonic acid, 3-aminopyridine, 2,3-diaminopyridine, 2,3-di-(2-pyridyl)-pyrazine, 2-(pyridyl)-4-ethanesulfonic acid, 1-(3-sulfopropyl)-pyridinium betaine, 1-(3-sulfopropyl)-isoquinolinium betaine and salts or derivatives thereof, and an additional gloss additive compound of the general formula

$$R - SO_m - H (I)$$

in which

m is the number 3 or 4, and

Page 4 (Amendment and Reply to Office Action)

R represents a straight-chain or branched or cyclic alkyl group with up to 20 carbon atoms, and, in the event that m = 4, also or an aryl or heteroaryl group with up to 10 carbon atoms, which may be optionally substituted once or several times with straight-chain or branched alkyl groups with 1 to 14 carbon atoms

as further gloss additives in acid baths for the electrodeposition of glossy gold and gold alloy layers, containing gold and optionally one or more alloy elements in the dissolved form and also at least one organic compound as a gloss additive.

Claim 6 (currently amended): A process for the electrodeposition of glossy gold and gold alloy layers according to claim 5, wherein the electrodeposition occurs characterised in that, it contains, deposition takes place from a bath in accordance with Claim 1 at a pH in the range of 3 to 6, preferably 4 to 5.

Claim 7 (new): An electrodeposition bath according to Claim 1, wherein the bath further comprises one or more alloy elements in dissolved form.

Claim 8 (new): An electrodeposition bath according to Claim 1, wherein the additional gloss additive contains at least one compound of formula I where R is a branched alkyl group with 6 to 10 carbon atoms.

Claim 9 (new): An electrodeposition bath according to Claim 1, wherein at least one compound of general formula I is present in an amount of 0.1 to 5 g/l.

Claim 10 (new): A process for the electrodeposition of glossy gold and gold alloy layers according to Claim 5, wherein the electrodeposition occurs at a pH in the range of 4 to 5.

B1 Contd

Page 5 (Amendment and Reply to Office Action)

B1 Contd

Claim 11 (new): A process for the electrodeposition of glossy gold and gold alloy layers according to Claim 5, wherein the bath further comprises one or more alloy elements in dissolved form.